

SAFETY DATA SHEET

US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 13-Dec-2022	Revision Date 13-Dec-2022	Revision Number 1	
1. Identification			
Product identifier			
Product Name	AMSOIL INTERCEPTOR® Synthetic 2-Stroke Oi	il	
Other means of identification			
Product Code(s)	AIT		
Synonyms	None		
Registration Number(s)	RN - 10940		
Recommended use of the chemical and restrictions on use			
Recommended use	Motor Oil		
Restrictions on use	Avoid formation of mists		
Details of the supplier of the s	afety data sheet		
Initial supplier identifier AMSOIL INC. Bay Adelaide Centre, East Tower 22 Adelaide St. W Toronto, ON, Canada M5H 4E3 T:+1 877-822-5172	Manufacturer Address AMSOIL INC. One AMSOIL Center Superior, WI 54880, USA T: +1 715-392-7101		
<u>E-mail</u>	compliance@amsoil.com		
Emergency telephone number			
Emergency telephone	CHEMTREC: Within USA and Canada: 1-800-42 Outside the USA and Canada: +1 703-741-5970 (collect calls accepted) 24/7		
2. Hazard(s) identificat	tion		

2. Hazard(s) identification

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Reproductive toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3

Label elements

Warning

Hazard statements

Causes skin irritation. Causes serious eye irritation. Suspected of damaging fertility or the unborn child. May cause drowsiness or dizziness.



Precautionary Statements - Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wash face, hands and any exposed skin thoroughly after handling. Avoid breathing dust, fume, gas, mist, vapors and spray. Use only outdoors or in a well-ventilated area.

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention. Specific treatment (see supplemental first aid instructions on this label). Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.

Skin

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice and attention. Take off contaminated clothing and wash before reuse.

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Precautionary Statements - Storage

Store locked up. Store in a well-ventilated place. Keep container tightly closed.

Precautionary Statements - Disposal

Dispose of contents and container to an approved waste disposal plant.

Other information

Toxic to aquatic life with long lasting effects. Harmful to aquatic life.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Information Review	Date HMIRA filed and date exemption granted (if applicable)
Synthetic Ester	-	10-30	RN - 10940	-
Hydrocarbyl Amine	PROPRIETAR Y	5-10	RN - 10940	-
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	0.1-1	-	-

*The exact percentage (concentration) of composition has been withheld as a trade secret.

Chemical Additions

The classification as a carcinogen does not apply as it can be shown that the substance(s) contain(s) less than 3% DMSO extract as measured by IP 346.

Description of first aid measures

General advice	IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention. Get medical attention immediately if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).
Most important symptoms and effe	cts, both acute and delayed
Symptoms	May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. May cause gastrointestinal discomfort if consumed in large amounts. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness and difficulty breathing.
Indication of any immediate medica	al attention and special treatment needed
Indication of any immediate medica Note to physicians	al attention and special treatment needed Treat symptomatically.
-	
Note to physicians	
Note to physicians 5. Fire-fighting measures	Treat symptomatically. Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Use extinguishing
Note to physicians 5. Fire-fighting measures Suitable Extinguishing Media	Treat symptomatically. Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Note to physicians 5. Fire-fighting measures Suitable Extinguishing Media Unsuitable extinguishing media Specific hazards arising from the	Treat symptomatically. Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire. Containers can burst or explode when heated, due to excessive pressure build-up. Thermal
Note to physicians 5. Fire-fighting measures Suitable Extinguishing Media Unsuitable extinguishing media Specific hazards arising from the chemical	Treat symptomatically. Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire. Containers can burst or explode when heated, due to excessive pressure build-up. Thermal decomposition can lead to release of irritating gases and vapors. Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).
Note to physicians 5. Fire-fighting measures Suitable Extinguishing Media Unsuitable extinguishing media Specific hazards arising from the chemical Hazardous combustion products Explosion data Sensitivity to mechanical impace	Treat symptomatically. Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire. Containers can burst or explode when heated, due to excessive pressure build-up. Thermal decomposition can lead to release of irritating gases and vapors. Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). t None.
Note to physicians 5. Fire-fighting measures Suitable Extinguishing Media Unsuitable extinguishing media Specific hazards arising from the chemical Hazardous combustion products Explosion data Sensitivity to mechanical impace Sensitivity to static discharge	Treat symptomatically. Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire. Containers can burst or explode when heated, due to excessive pressure build-up. Thermal decomposition can lead to release of irritating gases and vapors. Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). et None. None. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Personal precautions	Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing.
Other information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). Clean contaminated surface thoroughly. After cleaning, flush away traces with water. Prevent product from entering drains.
Reference to other sections	For additional information see: Section 8: Exposure controls/personal protection; Section 12: Ecological information; Section 13: Disposal considerations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove
	contaminated clothing and shoes. Take off contaminated clothing and wash before reuse.
	Ensure adequate ventilation. Avoid breathing vapors or mists. In case of insufficient
	ventilation, wear suitable respiratory equipment. Avoid contact with used product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Protect from physical damage. Do not reuse empty containers. Store in accordance with local regulations. Store away from incompatible materials. See section 10 for more information.

8. Exposure controls/personal protection

Control parameters			
Exposure Limits	Under conditions which may generate mists, the following exposure limits are recommended: Long-term exposure limit (8-hour TWA): 5 mg/m ³ . Short-term exposure limit (15-minute): 10 mg/m ³ .		
Biological occupational exposure limits	This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.		
Appropriate engineering controls			
Engineering controls	Apply technical measures to comply with the occupational exposure limits. Ensure adequate ventilation, especially in confined areas.		
Individual protection measures, such as personal protective equipment			
Eye/face protection	If there is a risk of contact: Wear safety glasses with side shields (or goggles).		
Hand protection	If there is a risk of contact: Wear suitable gloves. Impervious gloves.		
Hand protection Skin and body protection	If there is a risk of contact: Wear suitable gloves. Impervious gloves. If there is a risk of contact: Wear suitable protective clothing. Long sleeved clothing.		
·			

General hygiene considerations

Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

9. Physical and chemical properties

Information on basic physical and on Appearance			
Physical state Color	Liquid Amber		
Odor	Mild hydrocarbon		
Odor threshold	No information available		
Property	Values	Remarks • Method	
pH Melting point / freezing point		No data available No data available	
Initial boiling point and boiling rang		No data available	
Flash point	102 °C / 215.6 °F	Cleveland Open Cup ASTM D 92	
Evaporation rate		No data available	
Flammability		No data available	
Flammability Limit in Air			
Upper flammability or explosive		No data available	
limits			
Lower flammability or explosive		No data available	
limits		Nie dete en Stelle	
Vapor pressure		No data available No data available	
Vapor density Relative density	0.8660	No data available	
Water solubility	0.0000	No data available	
Solubility(ies)		No data available	
Partition coefficient		No data available	
Autoignition temperature		No data available	
Decomposition temperature		No data available	
Kinematic viscosity	30.7 cSt at 40 °C	ASTM D445	
Dumontio vice e eltre	6.5 cSt at 100 °C	No data available	
Dynamic viscosity		No data available	
Other information			
Explosive properties	No information available.		
Oxidizing properties	No information available.		
Softening point	No information available		
Pour Point	-53°C [ASTM D 97]		
Fire Point	102°C (COC) [ASTM D 92]		
Molecular weight VOC content	No information available No information available		
Liquid Density	No information available		
Bulk density	No information available		
10. Stability and reactivity			
Reactivity	None under normal use conditions.		
Chemical stability	Stable under normal conditions.		
Possibility of hazardous reactions	None under normal processing.		
Conditions to avoid	Excessive heat. Incompatible materials.		
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents.		
Hazardous decomposition products	s Thermal decomposition can lead to re	elease of irritating gases and vapors. Carbon	

monoxide, carbon dioxide and unburned hydrocarbons (smoke).

11. Toxicological information

Information on likely routes of exposure

Product Information			
Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. May cause drowsiness or dizziness.		
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.		
Skin contact	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).		
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.		
Symptoms related to the physical, chemical and toxicological characteristics			
Symptoms	Redness. May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness and difficulty breathing. May cause gastrointestinal discomfort if consumed in large amounts. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization in susceptible persons.		

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (dermal)	69,069.00 mg/kg
ATEmix (inhalation-dust/mist)	46.5363 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Benzenamine, N-phenyl-, reaction	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
products with 2,4,4-trimethylpentene			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes skin irritation.
Component Information	
Benzenamine, N-phenyl-, reaction proc	ducts with 2,4,4-trimethylpentene (68411-46-1)
Method	OECD Test No. 404: Acute Dermal Irritation/Corrosion
Species	Rabbit
Exposure route	Dermal
Effective dose	0.5 mL
Exposure time	4 hours
Results	Mild skin irritant

Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes serious eye irritation.
Component Information	

Method OECD Test No. 405: Acute Eye Irritation/Corrosion	Benzenamine, N-phenyl-, reaction proc	lucts with 2,4,4-trimethylpentene (68411-46-1)
	Method	OECD Test No. 405: Acute Eye Irritation/Corrosion

Species	Rabbit	
Exposure route	Eye	
Effective dose	0.1 mL	
Results	non-irritant	

Respiratory or skin sensitization No	information available.
Germ cell mutagenicity No	information available.
0,	ntains a known or suspected carcinogen. Classification based on data available for redients. May cause cancer.
	ntains a known or suspected reproductive toxin. Classification based on data available ingredients. Suspected of damaging fertility or the unborn child.
STOT - single exposure May	ay cause drowsiness or dizziness. May cause respiratory irritation.
STOT - repeated exposure No	information available.
Aspiration hazard Due	e to the viscosity, this product does not present an aspiration hazard.

12. Ecological information

Ecotoxicity

Toxic to aquatic life with long lasting effects. Harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene 68411-46-1	EC50: 51mg/L (48h, Daphnia magna)	LC50: >100mg/L (96h, Danio rerio)	-	-

Persistence and degradability

No information available.

Bioaccumulation

Component Information

Chemical name		Partition coefficient		
Benzenamine, N-phenyl-, reaction products with		6.66		
2,4,4-trimethyl	pentene			
68411-46	5-1			
Mobility in soil	No information available.			
Other adverse effects	No information available.			
13. Disposal considerations				
Waste treatment methods				
Vaste from residues/unused Dispose of in accordance with local regulations, Dispose of waste in accordance with				
products	environmental legislation.			
Contaminated packaging	Do not reuse empty conta	iners.		
14. Transport information				

DOT	Not regulated
TDG	Not regulated
IATA	Not regulated
IMDG	Not regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status

*Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65	
Cumene - 98-82-8	Carcinogen	
Benzene - 71-43-2	Carcinogen	
	Developmental	
	Male Reproductive	
Naphthalene - 91-20-3	Carcinogen	
Ethylbenzene - 100-41-4	Carcinogen	
Toluene - 108-88-3	Developmental	

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Benzene, 1,2,4-trimethyl- 95-63-6	Х	Х	Х
Benzene, 1,3,5-trimethyl- 108-67-8	-	Х	-
Cumene 98-82-8	Х	Х	Х
Diphenylamine 122-39-4	Х	Х	Х
Benzene 71-43-2	Х	Х	Х
n-Propylbenzene 103-65-1	Х	Х	Х
Xylene 1330-20-7	Х	Х	Х
Toluene 108-88-3	Х	Х	Х
Ethylbenzene 100-41-4	Х	Х	Х
Naphthalene 91-20-3	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Sectior	8: EXPOSURE CONTROLS/PERSONAL P	ROTECTION			
TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)		
Ceiling	Maximum limit value	*	Skin designation		
	eferences and sources for data used to c				
	ntal Protection Agency ChemView Database				
	Safety Authority (EFSA)				
	ental Protection Agency)				
	Guideline Level(s) (AEGL(s))				
	ntal Protection Agency Federal Insecticide, F		denticide Act		
	ntal Protection Agency High Production Volu	me Chemicals			
Food Research					
Hazardous Substance Database					
International Uniform Chemical Information Database (IUCLID)					
Japan GHS Classification					
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)					
NIOSH (National Institute for Occupational Safety and Health)					
National Library of Medicine's ChemID Plus (NLM CIP)					
National Toxicology Program (NTP)					
New Zealand's Chemical Classification and Information Database (CCID)					
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications					
Organization for Economic Co-operation and Development High Production Volume Chemicals Program					
Organization for Economic Co-operation and Development Screening Information Data Set					

World Health Organization

Issuing Date	13-Dec-2022
Revision Date	13-Dec-2022

Revision Note

Initial Release.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet